

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 01-Apr-2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: Product Number:

X-EFFECT 1019, 4857

Recommended Use: **Uses Advised Against:**

Disinfectant For Commercial and Industrial Use

Manufacturer/Supplier:

Spartan Chemical Company, Inc. 1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information:

888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:

Category 2

Serious Eye Damage/Eye Irritation:

Category 1

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Causes skin irritation

Causes serious eye damage

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

-Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Not Applicable

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

1019 - X-EFFECT Revision Date: 01-Apr-2021

Other Information:

- · May be harmful if swallowed
- · Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	0.1-1
Citric Acid	77-92-9	0.1-1
Fragrance	PROPRIETARY	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Terpineol Acetate	8007-35-0	<0.1
7-Octen-2-ol, 2-Methyl-6-Methylene-, Dihydro Deriv.	53219-21-9	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
Ethylene Brassylate	105-95-3	<0.1
Eucalyptus Globulus Leaf Oil	8000-48-4	<0.1
Diphenyl Ether	101-84-8	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Anisaldehyde	123-11-5	<0.1
Colorant	PROPRIETARY	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash with plenty of soap and water. Take off contaminated clothing and wash before

-Skin Contact:

reuse. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

-Inhalation: -Ingestion:

poison control center or physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

1019 - X-EFFECT Revision Date: 01-Apr-2021

Environmental Precautions: Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Suggested Shelf Life:

1 year from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Diphenyl Ether	STEL: 2 ppm vapor	TWA: 1 ppm vapor	IDLH: 100 ppm vapor
101-84-8	TWA: 1 ppm_vapor	TWA: 7 mg/m³ vapor	TWA: 1 ppm vapor
		(vacated) TWA: 1 ppm_vapor	TWA: 7 mg/m³ vapor
		(vacated) TWA: 7 mg/m³ vapor	- ·

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Skin and Body Protection:

Respiratory Protection:

Wear splash goggles.

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

1019 - X-EFFECT Revision Date: 01-Apr-2021

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid		
Color:	Purple		
Odor:	Pleasant		
pH:	5.0-5.8		
Melting Point / Freezing Point:	No information available		
Boiling Point / Boiling Range:	100 °C / 212 °F		
Flash Point:	> 100 °C / > 212 °F Estimated		
Evaporation Rate:	< 1 (Butyl acetate = 1)		
Flammability (solid, gas)	No information available		
Upper Flammability Limit:	No information available		
Lower Flammability Limit:	No information available		
Vapor Pressure:	No information available		
Vapor Density:	No information available		
Specific Gravity:	0.994		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available		
Autoignition Temperature:	No information available		
Decomposition Temperature:	No information available		
Viscosity:	No information available		

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition

ecomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:

Symptoms of Exposure:

Eyes, Skin, Ingestion, Inhalation.

-Eye Contact:

Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact:
-Inhalation:
-Ingestion:
Pain, redness and cracking of the skin.
Nasal discomfort and coughing.
Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 8867 mg/kg
ATEmix (dermal): 24444 mg/kg
ATEmix (inhalation-dust/mist): 6.2 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
C9-11 Pareth-6	= 1400 mg/kg (Rat)	Not Available	Not Available

Revision Date: 01-Apr-2021 1019 - X-EFFECT

68439-46-3			
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
Citric Acid 77-92-9	= 3 g/kg (Rat)	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Eucalyptus Globulus Leaf Oil 8000-48-4	= 2480 mg/kg (Rat)	Not Available	Not Available
Diphenyl Ether 101-84-8	= 2450 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	Not Available
Anisaldehyde 123-11-5	> 2000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 0.32 mg/L (Rat) 7 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Diphenyl Ether 101-84-8	Not Available	4: 96 h Pimephales promelas mg/L LC50 flow-through 4 - 7.9: 96 h Pimephales promelas mg/L LC50 static	Not Available	0.11 - 1.1: 48 h Daphnia magna mg/L LC50

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Marine Pollutant:

Yes.

Other Adverse Effects:

No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

Not Regulated

Proper Shipping Name:

Non Hazardous Product

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

Revision Date: 01-Apr-2021 1019 - X-EFFECT

IMDG:

UN/ID No:

UN3082

Proper Shipping Name:

Environmentally Hazardous Substance, liquid, n.o.s, (contains quaternary ammonium),

Marine Pollutant

Hazard Class: Packing Group: Ш

Marine Pollutant:

Yes.

Additional information:

According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking

requirements.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard: Yes **Chronic Health Hazard:** No Fire Hazard: No Sudden release of pressure hazard: No Reactive Hazard: No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-20

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, skin or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves and protective clothing. After product is diluted in accordance with the directions for use, protective eye wear is not required. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA

Health Hazards: 3

Flammability: 0

Instability: 0

Special: N/A

HMIS

Health Hazards: 3

Flammability: 0

Physical Hazards: 0

Revision Date:

01-Apr-2021

Reasons for Revision:

Section, 14

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet